L Number		Search Text	DB	Time stamp
22	2624	1 , ,	USPAT;	2004/07/11 15:47
		(345/(744,807).ccls.) and	US-PGPUB;	
		(715/(501.1).ccls.) and @ad<20010117	EPO; JPO; DERWENT;	
			IBM TDB	
23	0	((reassign\$3 or re-assign\$3) with first with	USPAT;	2004/07/11 15:48
23		current) and ((709/(203,217,219).ccls) and	US-PGPUB;	2004/07/11 15.40
		(345/(744,807).ccls.) and	EPO; JPO;	
		(715/(501.1).ccls.) and @ad<20010117)	DERWENT;	
			IBM TDB	
24	5	((709/(203,217,219).ccls) and	USPAT;	2004/07/11 15:51
		(345/(744,807).ccls.) and	US-PGPUB;	
		(715/(501.1).ccls.) and @ad<20010117) and	EPO; JPO;	
		(fame\$1! or frameset or (set or plurality or	DERWENT;	1
		number or multiple) near3 frame) with	IBM_TDB	
		(pointer or identifier or id) and ((thin or]	
		low or small or limit\$) adj3 (screen or		
		display or window or power ro device or		
	0	computer)) (HTML adj document) with (wireless or WML or	USPAT;	2004/06/09 09:44
-	0	HDML) same (frame\$1! or page\$1!) with	US-PGPUB;	2004/06/09 09:44
		(context adj indicator)	EPO; JPO;	
		· · ·	DERWENT;	
			IBM TDB	
-	0	(HTML adj document) same (wireless or WML or	USPAT;	2004/06/09 09:44
		HDML) same (frame\$1! or page\$1!) with	US-PGPUB;	
		(context adj indicator)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	,	USPAT;	2004/06/09 09:45
		HDML) and (frame\$1! or page\$1!) with	US-PGPUB;	
		(context adj indicator)	EPO; JPO;	
			DERWENT; IBM TDB	
_	317	((HTML adj document) or frame) near3 handl\$3	USPAT;	2004/06/09 09:55
_	31,	same (wireless or thin or WML or HDML)	US-PGPUB;	2004,00,00
		, , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0		USPAT;	2004/06/09 09:50
		handl\$3 same (wireless or thin or WML or	US-PGPUB;	
		HDML)) and (709/217,219,236).ccls. and	EPO; JPO;	
		@ad<20010117	DERWENT;	
	_	(((IITMI add dogument) as from)	IBM_TDB	2004/05/00 00 50
-	0		USPAT; US-PGPUB;	2004/06/09 09:50
		handl\$3 same (wireless or thin or WML or HDML)) and (709/(217,219,236).ccls.) and	EPO; JPO;	
		@ad<20010117	DERWENT;	
			IBM TDB	
_	236	(((HTML adj document) or frame) near3	USPAT;	2004/06/09 09:51
		handl\$3 same (wireless or thin or WML or	US-PGPUB;	
		HDML)) and @ad<20010117	EPO; JPO;	
			DERWENT;	
		[IBM_TDB	
-	0	((HTML adj document) same (frame\$1! near3	USPAT;	2004/06/09 09:56
		(manag\$3 or handl\$3))) same (portable or	US-PGPUB;	
		wireless or thin or WML or HDML)	EPO; JPO;	
			DERWENT;	•
_	1	((HTML adj document)and (frame\$1! near3	IBM_TDB USPAT;	2004/06/09 09:56
	1	(manag\$3 or handl\$3))) same (portable or	US-PGPUB;	2004,00,00 09.36
		wireless or thin or WML or HDML)	EPO; JPO;	
		The state of the s	DERWENT;	
			IBM TDB	
-	644	(HTML adj document) same (portable or	USPAT;	2004/06/09 09:57
		wireless or thin or WML or HDML)	US-PGPUB;	
I			EPO; JPO;	
			DERWENT; IBM TDB	•

-	42		USPAT;	2004/06/09 09:57
		wireless or thin or WML or HDML)) and (709/217,219.ccls.)	US-PGPUB; EPO; JPO;	
		(705) 217, 215.0018.7	DERWENT;	
			IBM_TDB	
-	29	(((HTML adj document) same (portable or	USPAT;	2004/06/09 12:02
		wireless or thin or WML or HDML)) and (709/217,219.ccls.)) and @ad<20010117	US-PGPUB; EPO; JPO;	
		(709/217,219.0015.)) and wade20010117	DERWENT;	
			IBM TDB	
-	24		USPĀT;	2004/06/09 15:36
		(frameset or (frame adj set) or (multiple	US-PGPUB;	
		adj2 frames)) and @ad<20010117	EPO; JPO; DERWENT;	
			IBM TDB	
-	0	1 (USPAT;	2004/06/09 12:03
		(frameset or (frame adj set) or (multiple	US-PGPUB;	
		adj2 frames)) same (portable or wireless or thin or WML or HDML) and @ad<20010117	EPO; JPO; DERWENT;	
		thin of while of hishin, and saddenording	IBM TDB	
_	3	(HTML adj (page or document)) and (frameset	USPAT;	2004/06/09 14:31
		or (frame adj set) or (multiple adj2	US-PGPUB;	
		frames)) same (portable or wireless or thin or WML or HDML) and @ad<20010117	EPO; JPO; DERWENT;	
		Of Mill of Moril, and education	IBM TDB	
-	0	((generat\$3 or creat\$3) near4 ((data adj	USPAT;	2004/06/09 14:29
		structure) or tree or list or table) with	US-PGPUB;	
		frameset\$1!)	EPO; JPO; DERWENT;	
			IBM TDB	
_	60536	(((data adj structure) or tree or list or	USPAT;	2004/06/09 14:30
		table) with (frameset\$1! or frames))	US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB	
1 -	80	(((data adj structure) or tree or list or	USPAT;	2004/06/09 14:30
		table) with (frameset\$1! or frames) same	US-PGPUB;	
		(HTML adj2 (document or page)))	EPO; JPO; DERWENT;	
			IBM TDB	
-	46	1 ' ' ' ' '	USPĀT;	2004/06/09 14:32
1		table) with (frameset\$1! or frames) same	US-PGPUB;	
		(HTML adj2 (document or page)))) and @ad<20010117	EPO; JPO; DERWENT;	
		Wad(20010117	IBM TDB	
-	16	((((data adj structure) or tree or list or	USPAT;	2004/06/09 14:32
		table) with (frameset\$1! or frames) same	US-PGPUB;	
		(HTML adj2 (document or page)))) and (portable or wireless or thin or WML or	EPO; JPO; DERWENT;	
		HDML) and @ad<20010117	IBM_TDB	
-	0	(Display\$3 or render\$3) near4 (HTML adj	USPAT;	2004/06/09 15:39
		(document or page)) with ((multiple near2	US-PGPUB;	
		frames) or frameset or (frame adj set)) same (wireless or thin or portable)	EPO; JPO; DERWENT;	
		, , , , , , ,	IBM_TDB	
-	0	(Display\$3 or render\$3) with (HTML adj	USPĀT;	2004/06/09 15:40
		(document or page)) with ((multiple near2	US-PGPUB;	
1		frames) or frameset or (frame adj set)) same (wireless or thin or portable)	EPO; JPO; DERWENT;	
		, , , p.	IBM_TDB	
-	0	(Display\$3 or render\$3) with (HTML adj	USPAT;	2004/06/09 15:39
		(document or page)) same ((multiple near2 frames) or frameset or (frame adj set))	US-PGPUB; EPO; JPO;	
		same (wireless or thin or portable)	DERWENT;	
		, , , , , , , , , , , , , , , , , , ,	IBM_TDB	
-	0	(HTML adj (document or page)) same	USPAT;	2004/06/09 15:39
		((multiple near2 frames) or frameset or (frame adj set)) same (wireless or thin or	US-PGPUB; EPO; JPO;	
		portable)	DERWENT;	
	<u> </u>	<u> </u>	IBM_TDB	

-	7	(Display\$3 or render\$3) with (HTML adj (document or page)) with ((multiple near2	USPAT; US-PGPUB;	2004/06/09 15:40
		frames) or frameset or (frame adj set)) and (wireless or thin or portable)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	8	(Display\$3 or render\$3) with (HTML adj (document or page)) with ((multiple near2	USPAT; US-PGPUB;	2004/06/09 15:46
		frames) or frameset or (frame adj set)) and (wireless or thin or portable or WML or	EPO; JPO; DERWENT;	
	152	HDML)	IBM_TDB USPAT;	2004/06/09 15:49
-	, 153	((context adj indicator) or track\$3 adj information) with (pointer or URL)	US-PGPUB;	2004/06/09 15:49
			EPO; JPO; DERWENT;	
-	80		IBM_TDB USPAT;	2004/06/09 16:03
		information) with (pointer or URL)) and @ad<20010117	US-PGPUB; EPO; JPO;	
:			DERWENT; IBM TDB	
_	0	(maintain\$3 or manag\$3 or handl\$3) near3	USPĀT;	2004/06/09 16:06
		(frames or frameset\$1!) same (HTML adj (page\$1! or document)) same (send\$3 or	US-PGPUB; EPO; JPO;	
		transmit\$4 or transfer\$3) near5 (id or identifier or identification or indicator)	DERWENT; IBM_TDB	
		near3 (list or table or record or entry or (data adj structure) or array)		
-	0	(frames or frameset\$1!) same (HTML adj (page\$1! or document)) same (send\$3 or	USPAT; US-PGPUB;	2004/06/09 16:06
		transmit\$4 or transfer\$3) near5 (id or identifier or identification or indicator)	EPO; JPO; DERWENT;	
		near3 (list or table or record or entry or	IBM_TDB	
-	2	,	USPAT;	2004/06/09 16:07
		(page\$1! or document)) same (send\$3 or transmit\$4 or transfer\$3) with (id or	US-PGPUB; EPO; JPO;	
		identifier or identification or indicator) with (list or table or record or entry or	DERWENT; IBM_TDB	
		(data adj structure) or array)	HCDATE	2004/06/09 16:09
-	1	"6366650".PN. "6353661".PN.	USPAT USPAT	2004/06/09 16:40
] _	14	l	USPAT;	2004/06/09 16:49
		render\$3) near4 (wireless or Portable or	US-PGPUB;	
		thin or telephone or PDS)	EPO; JPO; DERWENT;	
_	4	(select\$3 adj3 frame\$1! with (display\$3 or	IBM_TDB USPAT;	2004/06/09 16:49
		render\$3) near4 (wireless or Portable or thin or telephone or PDS)) and @ad<20010117	US-PGPUB; EPO; JPO;	
		-	DERWENT; IBM TDB	
-	2	maintain\$3 adj4 frame adj3 context	USPAT; US-PGPUB;	2004/06/28 13:57
			EPO; JPO; DERWENT;	
	2462	nointer near? frame	IBM_TDB	2004/06/28 13:58
-	3463	pointer near3 frame	USPAT; US-PGPUB;	2004/00/20 13:38
			EPO; JPO; DERWENT;	
-	0		IBM_TDB USPAT;	2004/06/28 13:59
		pointer adj3 each adj3 frame	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	0	((data adj structure) or table) with pointer adj3 each adj3 frame	USPAT; US-PGPUB;	2004/06/28 14:00
		adjo each adjo frame	EPO; JPO;	
			DERWENT; IBM_TDB	

-	0	pointer adj3 each adj3 frame	USPAT; US-PGPUB;	2004/06/28 14:00
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	pointer near each adj3 frame	USPAT; US-PGPUB;	2004/06/28 14:00
			EPO; JPO; DERWENT; IBM TDB	
-	0	pointer near3 each near4 frame	USPAT; US-PGPUB;	2004/06/28 14:00
			EPO; JPO; DERWENT; IBM TDB	
-	2201	pointer adj3 frame	USPAT; US-PGPUB;	2004/06/28 14:01
			EPO; JPO; DERWENT; IBM TDB	
-	1	pointer adj3 frame with frameset	USPAT; US-PGPUB;	2004/06/28 14:01
			EPO; JPO; DERWENT; IBM TDB	
-	1	pointer adj3 frame same frameset	USPAT; US-PGPUB;	2004/06/28 14:01
			EPO; JPO; DERWENT; IBM_TDB	
-	37	pointer adj3 frame same (frame adj set)	USPAT; US-PGPUB; EPO; JPO;	2004/06/28 14:36
			DERWENT; IBM_TDB	
-	3	frame with pointer with (context adj indicator)	USPAT; US-PGPUB; EPO; JPO;	2004/06/28 14:39
	518	from with pointer with / indicator or id or	DERWENT; IBM_TDB USPAT;	2004/06/28 14:44
-	210	frame with pointer with (indicator or id or identifier or identification)	US-PGPUB; EPO; JPO;	2004/06/26 14:44
_	405	(frame with pointer with (indicator or id	DERWENT; IBM_TDB USPAT;	2004/06/28 15:01
		or identifier or identification)) and @ad<20010117	US-PGPUB; EPO; JPO; DERWENT;	
	26	(frame with pointer with (indicator or id	IBM_TDB USPAT;	2004/07/11 15:43
	20	or identifier or identification)) and (handl\$3 adj3 frame\$1!) and @ad<20010117	US-PGPUB; EPO; JPO;	2001,07,11 10.43
	262	display\$3 adj3 multiple near2 frame\$1! and	DERWENT; IBM_TDB USPAT;	2004/06/28 16:28
		@ad<20010117	US-PGPUB; EPO; JPO;	, , , , , , , , , , , , , , , , , , , ,
-	3	(maintain\$3 or manag\$3 or handl\$3) adj4	DERWENT; IBM_TDB USPAT;	2004/06/28 16:29
		frame\$1! adj4 context and @ad<20010117	US-PGPUB; EPO; JPO; DERWENT;	
-	126288	(track\$3 or trac\$3 or handl\$3) with (frame	IBM_TDB USPAT;	2004/06/29 11:23
		ajd3 (display\$3 or render)) with (frame ajd3 ("not" adj3 (display\$3 or render)))	US-PGPUB; EPO; JPO; DERWENT;	
			IBM_TDB	

-	625	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render)) with (frame ajd3 ("not" adj3 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO;	2004/06/29 11:23
			DERWENT; IBM_TDB	2004/06/20 11 26
-	0	<pre>(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render)) with (frame adj3 ("not" adj3 (display\$3 or render)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 11:26
-	0	(track\$3 or trac\$3 or handl\$3) with (frame near5 (display\$3 or render)) with (frame near6 ("not" adj3 (display\$3 or render)))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/29 11:24
-	o	(track\$3 or trac\$3 or handl\$3) same (frame near5 (display\$3 or render)) with (frame near6 ("not" adj3 (display\$3 or render)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 11:26
_	0	<pre>(track\$3 or trac\$3 or handl\$3) same (frame near5 (display\$3 or render)) with (frame near6 ("not" near5 (display\$3 or render)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 11:25
-	0	<pre>(frame near5 (display\$3 or render)) with (frame near6 ("not" near5 (display\$3 or render)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 11:25
-	0	<pre>(frame with (display\$3 or render)) with (frame near6 ("not" near5 (display\$3 or render)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:25
-	1	<pre>(frame with (display\$3 or render)) with (frame with ("not" near5 (display\$3 or render)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 11:25
-	625	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 11:26
-	1	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render)) same (reduc\$3 near3 content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 11:27
-	3	(track\$3 or trac\$3 or handl\$3) with (frame adj3 (display\$3 or render)) and (reduc\$3 near3 content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/29 14:32
-	34	(track\$3 or trac\$3 or handl\$3 or manag\$3 or monitor\$3) with (frame adj3 (display\$3 or render)) and (reduc\$3 near3 content)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 14:34
-	26	((track\$3 or trac\$3 or handl\$3 or manag\$3 or monitor\$3) with (frame adj3 (display\$3 or render)) and (reduc\$3 near3 content)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 14:48
-	107	frame adj context and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/29 14:49

-	0	HTML with frame adj context and @ad<20010117	USPAT;	2004/06/29 14:49
			US-PGPUB; EPO; JPO;	
1			DERWENT;	
			IBM TDB	
-	1	HTML same frame adj context and @ad<20010117	USPAT;	2004/06/29 15:00
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2195	pointer adj4 frame and @ad<20010117	USPAT;	2004/06/29 15:24
	21/3	pointed adji zzame and dad izoteza.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/06/20 15 02
-	0	(data adj structure) with (pointer adj4 frame) same (reduc\$3 adj content) and	USPAT; US-PGPUB;	2004/06/29 15:02
		@ad<20010117	EPO; JPO;	
		64420010117	DERWENT;	
1			IBM_TDB	
-	0	(data adj structure) with (pointer adj4	USPAT;	2004/06/29 15:02
		frame) and (reduc\$3 adj content) and	US-PGPUB;	
		@ad<20010117	EPO; JPO;	
	1		DERWENT; IBM TDB	
_	۰ ا	(pointer adj4 frame)same (reduc\$3 adj	USPAT;	2004/06/29 15:02
1	1	content) and @ad<20010117	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/06/00 25 00
_	0	(pointer adj4 frame) same (reduc\$3 adj	USPAT;	2004/06/29 15:03
		content) and @ad<20010117	US-PGPUB; EPO; JPO;	
			DERWENT;	
•			IBM_TDB	
-	24	((link or URL or (pointer adj4 frame)))	USPAT;	2004/06/29 15:23
		same (reduc\$3 adj content) and @ad<20010117	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	0	(((link or URL or pointer) adj4 frame))	USPAT;	2004/06/29 15:24
		same (reduc\$3 adj content) and @ad<20010117	US-PGPUB;	, ,
			EPO; JPO;	
			DERWENT;	
	_	nointer adid frame came frameset and	<pre>IBM_TDB USPAT;</pre>	2004/06/29 15:25
_	0	pointer adj4 frame same frameset and @ad<20010117	US-PGPUB;	2004/00/29 13:23
			EPO; JPO;	
	i		DERWENT;	
			IBM_TDB	
-	2	pointer adj4 frame and frameset and	USPAT;	2004/06/29 15:31
		@ad<20010117	US-PGPUB; EPO; JPO;	
ļ	1		DERWENT;	
			IBM TDB	
-	107	frame adj context and @ad<20010117	USPAT;	2004/06/29 15:32
	1		US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
_	11	frame adj context and (web or html) and	IBM_TDB USPAT;	2004/06/29 15:55
	**	@ad<20010117	US-PGPUB;	= = = = = = = = = = = = = = = = = = =
			EPO; JPO;	
	1		DERWENT;	
		(1) (A-1	IBM_TDB	2004/06/20 35 55
_	99517	(tree or (data adj structure) with pointers	USPAT; US-PGPUB;	2004/06/29 15:57
1	1	with frame\$1!) and @ad<20010117	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
L		1,		

-	55	((tree or (data adj structure)) with pointers near5 frame\$1!) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO;	2004/06/29 15:58
			DERWENT; IBM_TDB	
-	3	<pre>(((set or multiple) near3 frame\$1!) or frameset) with ((first or second or next or last) adj pointer)</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/06/30 09:42
			DERWENT; IBM_TDB	2004/05/20 00 42
-	17	(((set or multiple) near3 frame\$1!) or frameset) same ((first or second or next or last) adj pointer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/30 09:43
-	6	<pre>(((set or multiple) near3 frame\$1!) or frameset) same (low or small or limit\$3 or reduc\$3) near3 (content or screen or window or power) same (pointer\$1!)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/30 09:56
-	43	(((set or multiple) near3 frame\$1!) or frameset\$1!) same (low or small or limit\$3 or reduc\$3) near3 (content or screen or	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/30 10:00
-	22	<pre>window or power) same (pointer\$1! or URL or link\$3) ((((set or multiple) near3 frame\$1!) or frameset\$1!) same (low or small or limit\$3 or reduc\$3) near3 (content or screen or</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/30 18:05
-	34	window or power) same (pointer\$1! or URL or link\$3)) and @ad<20010117 handl\$3 adj3 multiple adj3 frame\$1!	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/06/30 18:11
-	192	multiple adj3 frame\$1! same pointer\$1	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/06/30 18:11
_	0	((multiple adj3 frame\$1! same pointer\$1)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/06/30 18:12
		and @ad<20010117) and (display\$3 or render\$3) adj3 frame\$1! adj3 simultaneous\$2	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	150	(multiple adj3 frame\$1! same pointer\$1) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/30 18:27
-	0	(multiple adj3 frame\$1! same pointer\$1) and @ad<20010117 and backtrack\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/30 18:13
-	0	((multiple adj3 frame\$1! same pointer\$1) and @ad<20010117) and @ad<20010117 and backtrack\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/30 18:13
-	11	(multiple adj3 frame\$1! same pointer\$1) and @ad<20010117 and wireless	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/30 18:13
-	47	track\$3 adj7 frame\$1! with (display\$3 or render\$3) and (limit\$3 or small or reduc\$3) adj3 (screen or content or power or rate or window) and @ad<20010117	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/30 18:40
			IBM_TDB	

-	242	(handl\$3 or track\$3)adj7 frame\$1! adj5 (display\$3 or render\$3) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO;	2004/06/30 18:40
			DERWENT;	
_	242	(handl\$3 or track\$3) adj7 frame\$1! adj5 (display\$3 or render\$3) and @ad<20010117	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/30 18:41
-	2	(handl\$3 or track\$3) adj7 frame\$1! adj5 (display\$3 or render\$3) with (HTml or WAP or	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/06/30 18:41
		DHML) and @ad<20010117	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/07/01 10:37
-	94	keep\$3 adj track\$3 with (content or frame or document or page) near4 (display\$3 or render\$3)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 10:37
-	78	(keep\$3 adj track\$3 with (content or frame or document or page) near4 (display\$3 or render\$3)) and @ad<20020117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 09:49
-	75	keep\$3 adj track\$3 with (nt or frame or document or page) near4 (display\$3 or render\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 10:38
-	12	<pre>track\$3 near4 (frame\$1!) near4 (display\$3 or render\$3) with ((next or previous of first or last) adj frame\$1!)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 10:40
-	799	(display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!) same (limit\$3 ajd screen)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 10:41
-	8	(display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!) same (limit\$3 ajd screen) with (HTML or web)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 10:51
-	43	(display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!) with pointer\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 10:51
-	33	((display\$3 or render\$3) with ((next or previous ot first or last) adj frame\$1!) with pointer\$1!) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 11:02
-	5	(first adj pointer) near5 (first adj frame) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 11:28
-	0	(((data adj structure) or (tree adj (id or identifier or number or name))) or (context adj identifier)) with pointer with doccument and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 11:33
-	0	(((data adj structure) or (tree adj (id or identifier or number or name))) or (context adj identifier)) same pointer with doccument and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 11:33

-	0	(((data adj structure) or (tree adj (id or identifier or number or name))) or (context adj identifier)) and pointer with doccument and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/01 14:58
-	51	(current adj (frame or image or page)) with (previous\$3 or next) adj (frame or image or page) with pointer and @ad<20010117	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 15:25
-	113	(generat\$3 or creat\$3) adj6 (pointer) adj5 frame\$1!	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/01 15:26
-	93	(generat\$3 or creat\$3) adj6 (pointer) adj5 frame\$1! and @ad<20010117	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 15:26
-	1	(generat\$3 or creat\$3) adj6 (pointer) adj5 frame\$1! same (web or page or html or WAP or HDML) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 15:29
-	27	(generat\$3 or creat\$3) adj6 (pointer) adj5 frame\$1! and (web or page or html or WAP or HDML) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 15:29
-	248	display\$3 adj3 multiple adj2 frames	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 16:07
-	179	display\$3 adj3 multiple adj2 frames and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:04
-	32402	(context or (data adj structure) or index or file or record or tree) adj (indicator or identifier or id or number or name) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 17:06
-	9	((context or (data adj structure) or index or file or record or tree) adj (indicator or identifier or id or number or name)) same (limit\$3 adj (display or window or screen or power)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 17:08
-	85	((context or (data adj structure) or index or tree) adj (indicator or identifier or id or number or name)) and (limit\$3 adj (display or window or screen or power)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 17:15
-	116	((data adj structure) or tree or graph) near4 pointer same frames and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 17:26
-	8	(send\$3 or transmit\$4) adj5 ((graph or tree or index or (data adj structure)) near2 (id or number or name or identifier or indicator or identification) with (pointer or reference or URL or link)) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/01 17:31
-	98		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/01 17:47

-	259	associat\$3 adj7 (id or indicator or identification or number or label or name or identifier) adj4 ((data adj structure) or tree or graph)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/02 10:12
-	167	(associat\$3 adj7 (id or indicator or identification or number or label or name or identifier) adj4 ((data adj structure) or tree or graph)) and @ad<20010117	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/02 10:00
-	20085444	frame\$1! with (thin or wireless or limit\$3) adj5 (client or window or screen or display or device) @ad<20010117	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/02 10:05
-	20084668	frame\$3 adj5 ((thin or wireless or limit\$3) adj5 (client or window or screen or display or device)) @ad<20010117	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/02 10:05
-	2133	frame\$1! with (thin or wireless or limit\$3) adj5 (client or window or screen or display or device) and @ad<20010117	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/02 10:05
-	5	frame\$1! with (thin or wireless or limit\$3) adj5 (client or window or screen or display or device) and @ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) with (tree or graph or list or table or (data adj structure)) with pointer\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:09
-	0	@ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) adj7 (tree or graph or list or table or (data adj structure)) with pointer\$1 with frameset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/02 10:16
-	0	@ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) adj7 (tree or graph or list or table or (data adj structure)) with pointer\$1 same frameset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/02 10:09
-	6	@ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) adj7 (tree or graph or list or table or (data adj structure)) with pointer\$1 same (frameset\$1! or ((set or multiple or plurality) near2 frames))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:10
-	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/07/02 10:13
-	2	(assign\$3 or associat\$3) adj7 (id or indicator or identification or number or label or name or identifier) adj4 ((data adj structure) or tree or graph) same (frameset or ((set or multiple or plurality) near3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:14
-	57	(frames or page))) @ad<20010117 and (creat\$3 or generat\$3 or construct\$3 or build\$3) adj7 (tree or graph or list or table or (data adj structure)) with (frameset\$1! or ((set or mulitple or plurality) near2 frames))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/07/02 10:26
-	162	plurality) near2 frames)) (frameset\$1! or ((set or mulitple or plurality) near2 frames)) same (render\$3 or display\$3) with ((thin or wireless or limit\$4 or portable or low or small) near3 (screen or display or windown or computer or device or power))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 10:30

<u>-</u>	4	(frameset\$1! or ((set or mulitple or	USPAT;	2004/07/02 10:29
		plurality) near2 frames)) same (render\$3 or	US-PGPUB;	
		display\$3) with ((thin or wireless or	EPO; JPO;	
		limit\$4 or portable or low or small) near3	DERWENT; IBM TDB	
		(screen or display or windown or computer or device or power)) same pointer\$1!	I TOW _ I DB	
	113		USPAT:	2004/07/02 16:22
-	113	plurality) near2 frames)) same (render\$3 or	US-PGPUB;	2004/07/02 10:22
		display\$3) with ((thin or wireless or	EPO; JPO;	
		limit\$4 or portable or low or small) near3	DERWENT;	
		(screen or display or windown or computer or	IBM TDB	
		device or power))) and @ad<20010117	_	
-	190	frame adj context	USPAT;	2004/07/02 16:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(5)	IBM_TDB	2004/07/00 15 03
-	107	(frame adj context) and @ad<20010117	USPAT;	2004/07/02 16:23
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
	0	("20020095475.did.").PN.	USPAT;	2004/07/06 08:33
	1	,, ,, ,, ,, ,, ,	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	20020095475.did.	USPAT;	2004/07/06 08:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	,	summer and contout and indicator	IBM_TDB USPAT;	2004/07/06 08:45
-	-	current adj context adj indicator	US-PGPUB;	2004/07/08 08:45
			EPO; JPO;	İ
			DERWENT;	
			IBM TDB	
_	4470	current adj3 indicator	USPAT;	2004/07/06 08:45
		-	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	l		IBM_TDB	2004/07/05 00 23
-	44	current adj3 indicator with frames	USPAT; US-PGPUB;	2004/07/06 09:21
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	(page adj (id or name)) with (pointer adj4	USPAT;	2004/07/06 09:22
		frame)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/07/25 22 22
-	1		USPAT;	2004/07/06 09:22
	l	pointer) adj4 frame)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1527	frame adj3 (sen\$4 or display\$3 or	USPAT;	2004/07/06 17:53
	1	transfer\$4) adj3 first	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	7	frame adj3 (sen\$4 or display\$3 or	USPAT;	2004/07/06 18:30
	1	transfer\$4) adj3 first same ((small or	US-PGPUB;	
		limit\$3) near3 (screen or display or window	EPO; JPO;	
		or view))	DERWENT; IBM_TDB	
1_	2	track\$3 adj5 frame\$1! adj3 (sen\$4 or	USPAT;	2004/07/06 18:32
1		display\$3 or transfer\$4) adj3 first and	US-PGPUB;	
		((small or limit\$3) near3 (screen or display	EPO; JPO;	
		or window or view))	DERWENT;	1
	<u> </u>		IBM_TDB	

-	25	track\$3 adj5 frame\$1! adj3 (sen\$4 or	USPAT;	2004/07/06 18:39
		display\$3 or transfer\$4) and ((small or	US-PGPUB;	
		limit\$3) near3 (screen or display or window	EPO; JPO;	
		or view))	DERWENT;	
			IBM_TDB	
_	95462	set\$3 adj5 (pointer or indicator) adj4	USPAT;	2004/07/06 18:41
		(frame or page or URL) ajd4 current\$3 adj5	US-PGPUB;	
		(display\$3 or transmit\$3 or transfer\$4)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	set\$3 adj5 (pointer or indicator) adj4	USPAT;	2004/07/06 18:41
	_	(frame or page or URL) adj4 current\$3 adj5	US-PGPUB;	
		(display\$3 or transmit\$3 or transfer\$4)	EPO; JPO;	
		(acceptably to the seminary of the seminary)	DERWENT;	
			IBM TDB	
_	1	set\$3 adj5 (pointer or indicator) adj4	USPAT;	2004/07/06 18:42
	1	(frame or page or URL) with current\$3 with	US-PGPUB;	
		(display\$3 or transmit\$3 or transfer\$4)	EPO; JPO;	
		(dispinate) of classification of classification	DERWENT;	
İ			IBM_TDB	
_	37	set\$3 adj5 (pointer or indicator) same	USPAT;	2004/07/06 18:43
-	3/	(frame or page or URL) with current\$3 with	US-PGPUB;	2004/07/00 10.43
		(display\$3 or transmit\$3 or transfer\$4)	EPO; JPO;	
		(displays) of classification of classification	DERWENT;	
			1	
	29	/actica addit /maintan or indigator) same	IBM_TDB USPAT;	2004/07/06 18:43
, -	29		1 "	2004/07/06 18:43
		(frame or page or URL) with current\$3 with	US-PGPUB;	
		(display\$3 or transmit\$3 or transfer\$4)) and	EPO; JPO;	
		@ad<20010117	DERWENT;	
		(IBM_TDB	2004/07/13 11.26
-	0	(====================================	USPAT;	2004/07/11 11:26
		current with recei\$3 adj5 first same ((frame	US-PGPUB;	
]		or page) with pointer\$1!)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0004/07/11 11 06
-	0	1	USPAT;	2004/07/11 11:26
		current with recei\$3 adj5 first and ((frame	US-PGPUB;	
		or page) with pointer\$1!)	EPO; JPO;	
			DERWENT;	
		, , , , , , , , , , , , , , , , , , , ,	IBM_TDB	0004/08/55 55 5-
-	0		USPAT;	2004/07/11 11:27
		current same ((frame or page) with	US-PGPUB;	
		pointer\$1!)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	24	(reassign\$3 or re-assign\$3) with first with	USPAT;	2004/07/11 11:27
		current	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	11		USPAT;	2004/07/11 15:48
		current) and @ad<20010117	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	